

REFERENCES

- Bertani, G., and S. J. Nice. 1954. Studies on lysogenesis II. The effect of temperature on the lysogenization of Shigella dysenteriae with phage P1. *J. Bacteriol.* 67:202-209.
- Birnboim, H. C., and J. Doly. 1979. A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res.* 7:1513-1523.
- Bolivar, F., R. L. Rodriguez, P. J. Greene, M. C. Betlach, H. L. Heyneker, H. W. Boyer, J. H. Cross, and S. Falkow. 1977. Construction and characterization of new cloning vehicles. II. A multi-purpose cloning system. *Gene* 2:95-113.
- Brody, H., A. Greener, and C. W. Hill. 1985. Excision and Reintegration of the Escherichia coli K-12 chromosomal element e14. *J. Bacteriol.* 161:1112-1117.
- Brody, H., and C. W. Hill. 1988. Attachment site of the genetic element e14. *J. Bacteriol.* 170:2040-2044.
- Bruist, M. F., S. J. Horvath, L. E. Hood, T. A. Steitz, and M. I. Simon. 1987. Synthesis of a site-specific DNA-binding peptide. *Science* 235:777-780.
- Casadaban, M. J., M.-A. Alfonso, K. S. Stuart, and J. Chou. 1983. β -Galactosidase gene fusions for analyzing gene expression in Escherichia coli and yeast. *Methods Enzymol.* 100:293-308.
- Chang, A. C. Y., and S. N. Cohen. 1978. Construction and characterization of amplifiable multicopy DNA cloning vehicles derived from the P15A cryptic miniplasmid. *J. Bacteriol.* 134:1141-1156.
- Chow, L. T., and A. I. Bukhari. 1976. The invertible DNA segments of coliphages Mu and P1 are identical. *Virology* 74:242-248.
- Coste, G., and F. Bernardi. 1987. Cloning and characterization of the immunity region of phage ϕ 80. *Mol. Gen. Genet.* 206:452-459.
- Csonka, L. N., and A. J. Clark. 1980. Construction of an Hfr strain useful for transferring recA mutations between Escherichia coli strains. *J.*

- Bacteriol. 143:529-530.
- Dagard, M., and S. D. Ehrlich. 1979. Prolonged incubation in calcium chloride improves the competence of Escherichia coli cells. Gene 6:23-28.
- Dubow, M. S. 1987. Transposable Mu-like phages, p.201-213. In N. Symonds, A. Toussaint, P. van de Putte, and M. M. Howe (ed.), Phage Mu. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
- Dulbecco, R., M. Vogt, and A. G. R. Strickland. 1956. A study of the basic aspects of neutralization of two animal viruses, western equine encephalitis virus and polimyelitis virus. Virology 2:162-205.
- Enomoto, M. 1983. Location of a transduced Salmonella H2 (phase-2 flagellin gene) region in Escherichia coli K-12. Jpn. J. Genet. 58:511-517.
- Enomoto, M., K. Oosawa, and H. Momota. 1983. Mapping of the pin locus coding for a site-specific recombinase that causes flagellar-phase variation in Escherichia coli K-12. J. Bacteriol. 156:663-668.
- Enomoto, M., A. Sakai, and A. Tominaga. 1985. Expression of an Escherichia coli flagellin gene, hag48, in the presence of a Salmonella H1-repressor. Mol. Gen. Genet. 201:133-135.
- Enomoto, M., and B. A. D. Stocker. 1974. Transduction by phage P1kc in Salmonella typhimurium. Virology 60:503-514.
- Enomoto, M., and B. A. D. Stocker. 1975. Integration, at hag or elsewhere, of H2 (phase-2 flagellin) genes transduced from Salmonella to Escherichia coli. Genetics 81:595-614.
- Feinberg, A. P., and B. Vogelstein. 1983. A technique for radiolabeling DNA restriction endonuclease fragments to high specific activity. Anal. Biochem. 132:6-13.
- Giphart-Gassler, M., R. H. A. Plasterk, P. van de Putte. 1982. G inversion in bacteriophage Mu: a novel way of gene splicing. Nature 297:339-342.
- Glasgow, A. C., K. T. Hughes, and M. I. Simon. 1989. Bacterial DNA inversion systems, p.637-659. In D. E. Berg, and M. M. Howe (ed.), Mobile DNA.

- American Society for Microbiology, Washington, D.C.
- Greener, A., and C. W. Hill. 1980. Identification of a novel genetic element in Escherichia coli. *J. Bacteriol.* 144:312-321.
- Grundy, F. J., and M. M. Howe. 1984. Involvement of the invertible G segment in bacteriophage Mu tail fiber biosynthesis. *Virology* 134:296-317.
- Hatfull, G. F., and N. D. F. Grindley. 1988. Resolvases and DNA-invertases: a family of enzymes active in site-specific recombination, p.357-396. In R. Kucherlapati, and G. R. Smith (ed.), *Genetic recombination*. American Society for Microbiology, Washington, D.C.
- Helfman, D. M., J. R. Feramisco, J. C. Fiddes, G. P. Thomas, and S. H. Hughes. 1983. Identification of clones that encode chicken tropomyosin by direct immunological screening of a cDNA expression library. *Proc. Natl. Acad. Sci. USA* 80:31-35.
- Hiestand-Nauer, R., and S. Iida. 1983. Sequence of the site-specific recombinase gene cin and of its substrates serving in the inversion of the C segment of bacteriophage P1. *EMBO J.* 2:1733-1740.
- Howe, M. M. 1973. Prophage deletion mapping of bacteriophage Mu-1. *Virology* 54:93-101.
- Huber, H. E., S. Iida, W. Arber, and T. A. Bickle. 1985. Site-specific DNA inversion is enhanced by a DNA sequence element in cis. *Proc. Natl. Acad. Sci. USA* 82:3776-3780.
- Hübner, P., and W. Arber. 1989. Mutational analysis of a prokaryotic recombinational enhancer element with two functions. *EMBO J.* 8:577-585.
- Iida, S. 1984. Bacteriophage P1 carries two related sets of genes determining its host range in the invertible C segment of its genome. *Virology* 134:421-434.
- Iida, S., and R. Hiestand-Nauer. 1986. Localized conversion at the crossover sequences in the site-specific DNA inversion system of bacteriophage P1. *Cell* 45:71-79.

- Iida, S., J. Meyer, K. E. Kennedy, and W. Arber. 1982. A site-specific, conservative recombination system carried by bacteriophage P1. Mapping the recombinase gene cin and the cross-over sites cix for the inversion of the C segment. *EMBO J.* 1:1445-1453.
- Johnson, R. C., and M. I. Simon. 1985. Hin-mediated site-specific recombination requires two 26 bp recombination sites and a 60 bp recombinational enhancer. *Cell* 41:781-791.
- Kahmann, R., and D. Kamp. 1987. Sequence of the right end of Mu, p.297-308. In N. Symonds, A. Toussaint, P. van de Putte, and M. M. Howe (ed.), *Phage Mu*. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
- Kahmann, R., F. Rudt, C. Koch, and G. Mertens. 1985. G inversion in bacteriophage Mu DNA is stimulated by a site within the invertase gene and a host factor. *Cell* 41:771-780.
- Kamp, D. 1981. Invertible DNA: the G segment of bacteriophage Mu, p.73-75. In D. Shlessinger (ed.), *Microbiology-1981*. American Society for Microbiology, Washington, D. C.
- Kamp, D., and R. Kahmann. 1981. The relationship of two invertible segments in bacteriophage Mu and Salmonella typhimurium DNA. *Mol. Gen. Genet.* 184:564-566.
- Kamp, D., R. Kahman, D. Zipser, T. R. Broker, and L. T. Chow. 1978. Inversion of the G DNA segment of phage Mu controls phage infectivity. *Nature* 271:577-580.
- Kamp, D., E. Kardas, W. Ritthaler, R. Sandulache, R. Schmucker, and B. Stern. 1984. Comparative analysis of invertible DNA in phage genomes. *Cold Spring Harbor Symp. Quant. Biol.* 49:301-311.
- Koch, C., G. Mertens, F. Rudt, R. Kahmann, R. Kanaar, R. Plastere, P. van de Putte, R. Sandulache, and D. Kamp. 1987. The invertible G segment, p.75-91. In N. Symonds, A. Toussaint, P. van de Putte, and M. M. Howe (ed.), *Phage Mu*. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.

- Kutsukake, K., and T. Iino. 1980a. A trans-acting factor mediates inversion of a specific DNA segment in flagellar phase variation of Salmonella. Nature 284:479-481.
- Kutsukake, K., and T. Iino. 1980b. Inversions of specific DNA segments in flagellar phase variation of Salmonella and inversion systems of bacteriophages P1 and Mu. Proc. Natl. Acad. Sci. USA 77:7338-7341.
- Laemmli, U. K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. Nature 227:680-685.
- Lowry, O. H., N. J. Rosebrough, A. L. Farr, and R. J. Randall. 1951. Protein measurement with the Folin phenol reagent. J. Biol. Chem. 193:265-275.
- Maloy, S. R., and W. D. Nunn. 1981. Selection for loss of tetracycline resistance by Escherichia coli. J. Bacteriol. 145:1110-1112.
- Maniatis, T., E. F. Fritsch, and J. Sambrook. 1982. Molecular cloning: a laboratory manual. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
- Miller, J. H. 1972. Experiments in molecular genetics, p.352-355. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
- Mural, R. J., R. H. Chesney, and D. Vapnek. 1979. Isolation and characterization of cloned fragments of bacteriophage P1 DNA. Virology 93:387-397.
- Momota, H., and M. Enomoto. 1986. Rates of flagellar- and P1 infective- phase variation by three site-specific recombinase genes in every possible combination. Jpn. J. Genet. 61:419-436.
- Montag, D., and U. Henning. 1987. An open reading frame in the Escherichia coli bacteriophage λ genome encodes a protein that functions in assembly of the long tail fibers of bacteriophage T4. J. Bacteriol. 169:5884-5886.
- Montag, D., H. Schwarz, and U. Henning. 1989. A component of the side tail fiber of Escherichia coli bacteriophage λ can functionally replace the

- receptor-recognizing part of a long tail fiber protein of the unrelated bacteriophage T4. *J. Bacteriol.* 171:4378-4384.
- Nohno, T., T. Saito, and J.-S. Hong. 1986. Molecular cloning of the Escherichia coli glutamine permease operon, glnP, using mini-F plasmid. *Kawasaki Med. J.* 12:163-176.
- Novick, A., and L. Szilard. 1951. Virus strains of identical phenotype but different genotype. *Science* 113:34-35.
- Ochman, H., and A. C. Wilson. 1987. Evolutionary history of enteric bacteria, p.1649-1654. In F. C. Neidhardt, J. L. Ingraham, K. B. Low, B. Magasanik, N. Schaechter, and H. E. Umbarger (ed.), Escherichia coli and Salmonella typhimurium: cellular and molecular biology. American Society for Microbiology, Washington, D.C.
- Oliver, D. B., and R. A. Crowther. 1981. DNA sequence of the tail fiber genes 36 and 37 of bacteriophage T4. *J. Mol. Biol.* 153:545-568.
- Olszewska, E., and K. Jones. 1988. Vacuum blotting enhances nucleic acid transfer. *Trends Genet.* 4:92-94.
- Ornellas, E. P., and B. A. D. Stocker. 1974. Relation of lipopolysaccharide character to P1 sensitivity in Salmonella typhimurium. *Virology* 60:491-502.
- Parker, L. L., P. W. Betts, and B. G. Hall. 1988. Activation of a cryptic gene by excision of a DNA fragment. *J. Bacteriol.* 170:218-222.
- Plasterk, R. H. A., A. Brinkman, and P. van de Putte. 1983. DNA inversions in the chromosome of Escherichia coli and in bacteriophage Mu: Relationship to other site-specific recombination systems. *Proc. Natl. Acad. Sci. USA* 80:5355-5358.
- Plasterk, R. H. A., and P. van de Putte. 1984. Inversion of DNA in vivo and in vitro by Gin and Pin proteins. *Cold Spring Harbor Symp. Quant. Biol.* 49:295-300.
- Plasterk, R. H. A., and P. van de Putte. 1985. The invertible P-DNA segment

- in the chromosome of Escherichia coli. EMBO J. 4:237-242.
- Rosner, J. L. 1972. Formation, induction and curing of bacteriophage P1 lysogens. Virology 49:679-689.
- Rowe, B., and R. J. Gross. 1981. The genus Shigella, p.1248-1259. In M. P. Starr, H. Stolp, H. G. Truper, A. Balows, and H. G. Schlegel (ed.), The prokaryotes: a handbook on habitats, isolation, and identification of bacteria. vol. II. Springer-Verlag, New York.
- Sancer, A., A. M. Hack, and W. D. Rupp. 1979. Simple method for identification of plasmid-coded proteins. J. Bacteriol. 137:692-693.
- Sandulache, R., P. Prehm, and D. Kamp. 1984. Cell wall receptor for bacteriophage MuG(+). J. Bacteriol. 160:299-303.
- Sanger, F., A. R. Coulson, G. F. Hong, D. F. Hill, and G. B. Petersen. 1982. Nucleotide sequence of bacteriophage λ DNA. J. Mol. Biol. 162:729-773.
- Sanger, F., S. Nicklen, and A. R. Coulson. 1977. DNA sequencing with chain-terminating inhibitors. Proc. Natl. Acad. Sci. USA 74:5463-5467.
- Schleif, R. F., and P. C. Wensink. 1981. Practical methods in molecular biology. Springer-Verlag New York.
- Scott, J. R. 1968. Genetic studies on bacteriophage P1. Virology 36:564-574.
- Sherratt, D. 1989. Tn₃ and related transposable elements: site-specific recombination and transposition, p.163-184. In D. E. Berg, and M. M. Howe (ed.), Mobile DNA. American Society for Microbiology, Washington, D. C.
- Silverman, M., and M. Simon. 1980. Phase variation: genetic analysis of switching mutants. Cell 19:845-854.
- Silverman, M., and M. Simon. 1981. Phase variation and related systems, p.537-557. In J. Shapiro (ed.), Mobile genetic elements. Academic Press, Inc., New York.
- Silverman, M., J. Zieg, M. Hilmen, and M. Simon. 1979. Phase variation in Salmonella: genetic analysis of a recombinational switch. Proc. Natl.

Acad. Sci. USA 76:391-395.

- Simon, M., J. Zieg, M. Silvermann, G. Mandel, and R. Doolittle. 1980. Phase variation: evolution of a controlling element. *Science* 209:1370-1374.
- Simon, M. I., and M. Silverman. 1983. Recombinational regulation of gene expression in bacteria, p.211-227. In J. Beckwith, J. Davies, and J. A. Gallant (ed.), *Gene Function in prokaryotes*. Cold Spring Harbor Laboratory, Cold Spring Harbor, N. Y.
- Soberon, X., L. Covarrubias, and F. Bolivar. 1980. Construction and characterization of new cloning vehicles, IV. Deletion derivatives of pBR322 and pBR325. *Gene* 9:287-305.
- Southern, E. M. 1975. Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J. Mol. Biol.* 98:503-517.
- Stocker, B. A. B. 1949. Measurements of rate of mutation of flagellar antigenic phase in Salmonella typhimurium. *J. Hyg.* 47:389-413.
- Storti, R. V., D. M. Coen, and A. Rich. 1976. Tissue-specific forms of actin in developing chick. *Cell* 8:521-527.
- Swanson, J., S. Bergström, K. Robbins, O. Barrera, D. Corwin, and J. M. Koomey. 1986. Gene conversion involving the pilin structural gene correlates with $\text{Pilus}^+ \rightleftharpoons \text{Pilus}^-$ changes in Neisseria gonorrhoeae. *Cell* 47:267-276.
- Szekely, E., and M. Simon. 1981. Homology between the invertible deoxyribonucleic acid sequence that controls flagellar-phase variation in Salmonella sp. and deoxyribonucleic acid sequences in other organisms. *J. Bacteriol.* 148:829-836.
- Tominaga, A., and M. Enomoto. 1986. Magnesium-dependent plaque formation by bacteriophage PlcinC(-) on Escherichia coli C and Shigella sonnei. *Virology* 155:284-288.
- Tominaga, A., K. Nakamura, and M. Enomoto. 1986. Isolation of PlcinC(+) and PlcinC(-) mutants and detection of their polypeptides involved in host

- specificity. Jpn. J. Genet. 61:1-13.
- Toussaint, A., N. Lefebvre, J. R. Scott, J. A. Cowan, F. de Bruijn, and A. I. Bukhari. 1978. Relationships between temperate phages Mu and P1. Virology 89:146-161.
- Van de Putte, P., S. Cramer, and M. Giphart-Gassler. 1980. Invertible DNA determines host specificity of bacteriophage Mu. Nature 286:218-222.
- Van de Putte, P., R. Plasterk, and A. Kuijpers. 1984. A Mu gin complementing function and an invertible DNA region in Escherichia coli K-12 are situated on the genetic element e14. J. Bacteriol. 158:517-522.
- Vieira, J., and J. Messing. 1987. Production of single-stranded plasmid DNA. Methods Enzymol. 153:3-11.
- Walker, J. T., and D. H. Walker Jr.. 1981. Structural proteins of coliphage P1. In Progress in clinical biological research. (ed. DuBow, M. S.) vol. 64, pp.69-77. Alan R. Liss Inc., New York.
- Walker, J. T., and D. H. Walker Jr.. 1983. Coliphage P1 morphogenesis: analysis of mutants by electron microscopy. J. Virol. 45:1118-1139.
- Wood, W. B. 1966. Host specificity of DNA produced by Escherichia coli: Bacterial mutations affected the restriction and modification of DNA. J. Mol. Biol. 16:118-133.
- Yamamoto, K. R., B. M. Alberts, R. Benzinger, L. Lawhorne, and G. Treiber. 1970. Rapid bacteriophage sedimentation in the presence of polyethylene glycol and its application to large-scale virus purification. Virology 40:734-744.
- Zieg, J., M. Silverman, M. Hilmen, and M. Simon. 1978. The mechanism of phase variation, p.411-423. In J. H. Miller and W. S. Reznikoff (ed.), The Operon. Cold Spring Harbor Laboratory, Cold Spring Harbor, N. Y.
- Zieg, J., and M. Simon. 1980. Analysis of the nucleotide sequence of an invertible controlling element. Proc. Natl. Acad. Sci. USA 77:4196-4200.



