

Table 1

	at the time of first visit	at the time of discontinuation	p Value
IPSS	15.9±6.8	8.7±4.3	0.001
QOL	4.4±1.1	2.4±1.2	0.001
UFM			
Voided Volume	195±115	242±131	0.216
Qmax	10.6±4.5	14.8±6.2	0.001
PVR	35.0±46.1	12.4±19.3	0.004
PSA	2.6±2.5	-	
Prostatic volume	-	27.2±9.7	

Table 2

	re-treatment	discontinuation	p value
Cases	18	42	
Age (year-old)	71.7±4.5	68.9 ±1.1	0.136
I-PSS (first visit)	17.3±1.6	15.4±1.1	0.299
QOL	4.5±1.2	4.3±1.1	0.502
I-PSS(discontinuation)	10.6±1.1	7.95±0.6	0.058
QOL	2.7±1.2	2.2±1.1	0.192
Medication period	51.2±13.7	20.2±4.2	0.016*
Qmax (first visit)	10.7±0.8	10.6±0.9	0.69
Qmax (discontinuation)	11.4±0.9	16.4±1.0	0.007*
PSA	3.55±0.7	2.13±0.3	0.015*
Prostatic volume	32.3±2.8	24.9±1.1	0.046*


* p<0.05

Table 3

	Just before discontinuation	at the time of re-treatment	p value
I-PSS	10.6±1.1	15.0±1.8	0.018*
QOL	2.7±0.3	3.5±0.4	0.010*
Voided volume (ml)	185±21.4	200±25.9	0.508
Qmax (ml/s)	11.4±0.9	11.2±1.2	0.594
PVR (ml)	9.0±3.7	38.0±13.3	0.069


* p<0.05

Figure 1



* p<0.05

Figure 2



* $p < 0.05$